

**PROCHEMKO**



## CURATON CC PRIMER

# Water-based primer fixing mineral surfaces

- Fixes and impregnates porous surfaces
- May quickly be repainted
- Water-based formula, ideal for indoor use
- Can be used on lightly damp surfaces
- May be repainted with Curaton CC giving a durable coating system

# CURATON CC PRIMER

## POPIS PRODUKTU (DLOUHÝ)

Transparent water-based primer fixing (eroded) mineral surfaces such as asbestos, outer wall paneling and concrete.

## DOPORUČENÉ POUŽITÍ

Curaton CC Primer is a fixing agent for eroded surfaces, such as asbestos, outer wall paneling, coated surfaces etc.

## TECHNICAL DATA

Hustota (g/cm<sup>3</sup>): 1,04 kg/l  
Úroveň lesku: Matt  
Obsah pevných látek v objemu: 25%

## DRY TIMES BY 20

Dotykem suché: 45 min  
Suché na manipulaci: 1h  
Suchý nátěr: >1h  
Plně vytvrzené: 2 days

## DOPORUČENÁ TLOUŠŤKA MOKRÉHO FILMU

100 µm

## DOPORUČENÁ TLOUŠŤKA SUCHÉHO FILMU

25µm

## TEORETICKÁ SPOTŘEBA

10 m<sup>2</sup>/l

## PRAKTICKÁ SPOTŘEBA

Practical consumption depends on surface absorbency and the method of application.

## NÁVOD K POUŽITÍ

- Use the product as supplied
- Apply Curaton CC Primer using a brush, short-haired roller or (airless) nozzle
- Apply in 1 or 2 layers

## PODMÍNKY POUŽITÍ

Minimum ambient temperature: 5°C  
Maximum relative humidity: 90%  
Minimum surface temperature: 5°C  
Maximum surface temperature: 35°C

## ČIŠTĚNÍ ZAŘÍZENÍ / ROZLITÍ

Rinse with clean water directly after use.

## POZNÁMKY

Dispose of remaining product and empty packaging as chemical waste, in accordance with the local regulations and legal requirements.

## PH

6,50

## DOBA POUŽITELNOSTI

Minimum of 12 months when stored in a dry, cool and frost-free environment in the original, unopened packaging.

last\_updated: 05/02/2025

footer\_data\_colors\_pack\_sizes: footer\_data\_colors\_pack\_sizes.value

footer\_data\_disclaimer: footer\_data\_disclaimer.value

**Rust-Oleum Netherlands B.V.**  
Zilverenberg 16  
5234 GM 's-Hertogenbosch  
The Netherlands  
T: +31 (0) 165 593 636  
F: +31 (0) 165 593 600  
info@rust-oleum.eu

**Tor Coatings Ltd (Rust-Oleum Industrial)**  
Shadon Way, Portobello Ind. Estate  
Birtley, Chester-le-Street  
DH3 2RE United Kingdom  
T: +44 (0)1914 113 146  
F: +44 (0)1914 113 147  
info@rust-oleum.eu

**Rust-Oleum France S.A.S.**  
38, av. du Gros Chêne  
95322 Herblay  
France  
T: +33(0) 130 40 00 44  
F: +33(0) 130 40 99 80  
info@rust-oleum.eu

**N.V. Martin Mathys S.A.**  
Kolenbergstraat 23  
3545 Zelem  
Belgium  
T: +32 (0) 13 460 200  
F: +32 (0) 13 460 201  
info@rust-oleum.eu