



CURATON CC PRIMER

Water-based primer fixing mineral surfaces

- Fixes and impregnates porous surfaces
- May quickly be repainted
- Water-based formula, ideal for indoor use
- Can be used on lightly damp surfaces
- May be repainted with Curaton CC giving a durable coating system

CURATON CC PRIMER

POPIS PRODUKTU (DLHÝ)

Transparent water-based primer fixing (eroded) mineral surfaces such as asbestos, outer wall paneling and concrete.

ODPORÚČANÉ POUŽITIE

Curaton CC Primer is a fixing agent for eroded surfaces, such as asbestos, outer wall paneling, coated surfaces etc.

TECHNICAL DATA

Hustota (g/cm³): 1,04 kg/l
Úroveň lesku: Matt
Obsah pevných látok v objeme: 25%

DRY_TIMES_BY_20

Na dotyk suché: 45 min
Suché na manipuláciu: 1h
Suchý na opätovné natieranie: >1h
Úplne vytvrdnuté: 2 days

ODPORÚČANÁ HRúbKA MOKRÉHO FILMU

100 µm

ODPORÚČANÁ HRúbKA SUCHÉHO FILMU

25µm

TEORETICKÁ SPOTREBA

10 m²/l

PRAKTICKÁ VÝDATNOSŤ

Practical consumption depends on surface absorbency and the method of application.

NÁVOD NA POUŽITIE

- Use the product as supplied
- Apply Curaton CC Primer using a brush, short-haired roller or (airless) nozzle
- Apply in 1 or 2 layers

PODMIENKY APLIKÁCIE

Minimum ambient temperature: 5°C
Maximum relative humidity: 90%
Minimum surface temperature: 5°C
Maximum surface temperature: 35°C

ČISTENIE ZARIADENIA / POSTRIEKANIE

Rinse with clean water directly after use.

POZNÁMKY

Dispose of remaining product and empty packaging as chemical waste, in accordance with the local regulations and legal requirements.

PH

6,50

SKLADOVATEĽNOSŤ

Minimum of 12 months when stored in a dry, cool and frost-free environment in the original, unopened packaging.

last_updated: 05/02/2025

footer_data_colors_pack_sizes: footer_data_colors_pack_sizes.value

footer_data_disclaimer: footer_data_disclaimer.value

Rust-Oleum Netherlands B.V.
Zilverenberg 16
5234 GM 's-Hertogenbosch
The Netherlands
T: +31 (0) 165 593 636
F: +31 (0) 165 593 600
info@rust-oleum.eu

Tor Coatings Ltd (Rust-Oleum Industrial)
Shadon Way, Portobello Ind. Estate
Birtley, Chester-le-Street
DH3 2RE United Kingdom
T: +44 (0)1914 113 146
F: +44 (0)1914 113 147
info@rust-oleum.eu

Rust-Oleum France S.A.S.
38, av. du Gros Chêne
95322 Herblay
France
T: +33(0) 130 40 00 44
F: +33(0) 130 40 99 80
info@rust-oleum.eu

N.V. Martin Mathys S.A.
Kolenbergstraat 23
3545 Zelem
Belgium
T: +32 (0) 13 460 200
F: +32 (0) 13 460 201
info@rust-oleum.eu