



RIGOREX

Universal alkaline cleaner and degreaser

- · Penetrates deep into grease and dirt layers
- Removes oil, grease, soot, ballpoint pen ink, carbon, colour, and paint substances
- · No poisonous vapours, suitable for the food industry
- Concentrated formula, dilute maximally to a ratio of 1: 40
- Usable in the food industry, dairies, distilleries, on façades, tile walls, roller shutters, blinds, flues, in kitchens, etc.

RIGOREX

DESCRIZIONE

An alkaline all-purpose cleaner based on surfactants and cleaning enhancers for many applications.

UTILIZZO CONSIGLIATO

Use to clean vats and equipment in the food industry, dairies, distilleries, façades, tile walls, roller shutters, Luxaflex, washable wallpaper, painted doors and walls, leather and plastics, panelling, aeration pumps, flues, kitchens, etc.

ISTRUZIONI PER L'USO

Dilute Rigorex with water maximally to a ratio of 1:40 depending on the degree of fouling. Apply the product using a brush or (airless) spray gun.

Allow the product to soak in for a few minutes.

Rinse off with clean water.

CONDIZIONI DI APPLICAZIONE

Minimum ambient temperature : 5 °C Maximum relative humidity : 100% Minimum surface temperature : 5 °C Maximum surface temperature: 35 °C

PULITURA DELLE ATTREZZATURE / DEGLI SVERSAMENTI

Rinse with clean water immediately after use.

NOTE

Dispose of remnants of the product and empty packaging as chemical waste in accordance with the local regulations and legal requirements.

PH

13

SCADENZA

Can be kept for a minimum of 12 months when stored in a dry, cool, and frost-free environment in the original unopened packaging.

Data del rilascio: 05/02/2025

Colori e formati di confezione disponibili: Si prega di consultare la pagina relativa al prodotto su www.rust-oleum.eu per una visione complessiva dei colori e dei formati di confezione effettivamente disponibili.

Dichiarazione di non responsabilità: Le informazioni contenute nel presente documento sono al meglio della nostra conoscenza, vere e accurate e sono fornite in buona fede ma senza garanzia. L'utente sarà ritenuto soddisfatto/a indipendentemente dall'idoneità dei nostri prodotti per il suo proprio scopo particolare. In nessun caso Rust-Oleum Europe potrà essere ritenuta responsabile per danni consequenziali o incidentali. I prodotti devono essere conservati, maneggiati e applicati in condizioni conformi alle raccomandazioni dettagliate di Rust-Oleum Europe contenute nella copia più recente della scheda tecnica del prodotto. È responsabilità dell'utente accertarsi di disporre della copia attuale. Le copie più recenti della scheda tecnica del prodotto sono disponibili gratuitamente e scaricabili da www.rust-oleum.eu o a fronte di richiesta al nostro servizio clienti. Rust-Oleum Europe si riserva il diritto di modificare le proprietà dei suoi prodotti senza alcun preavviso.

Rust-Oleum Netherlands B.V. Zilverenberg 16

The Netherlands
T: +31 (0) 165 593 636
F: +31 (0) 165 593 600
info@rust-oleum.eu

Tor Coatings Ltd (Rust-Oleum Industrial)
Shadon Way, Portobello Ind. Estate

Birtley, Chester-le-Street DH3 2RE United Kingdom T: +44 (0)1914 113 146 F: +44 (0)1914 113 147 info@rust-oleum.eu Rust-Oleum France S.A.S. 38, av. du Gros Chêne 95322 Herblay France

T: +33(0) 130 40 00 44 F: +33(0) 130 40 99 80 info@rust-oleum.eu N.V. Martin Mathys S.A. Kolenbergstraat 23 3545 Zelem

Belgium T: +32 (0) 13 460 200 F: +32 (0) 13 460 201 info@rust-oleum.eu